
WHAT IS CLAIMED IS:

1. A multilayer film comprising a substrate bearing an aligned liquid crystal layer wherein the aligned liquid crystal layer contains an azolium salt represented by formula (I):



I

wherein

the subscripts represent the ring positions and each X is independently N or C-R;

each Z is independently N, N-R, C-(R)(R), O, S, SO₂, SO, C=O, C=S, or C=NR;

each R group is independently hydrogen or a substituent; and
Y is a charge balancing anion, which may be a separate moiety or part of
an X, Z, or R;

provided two or more X, Z and R groups may form a ring;

provided the salt may be part of an oligomer or polymer..

- 2. The film of claim 1 wherein each X is C-R.
- 3. The film of claim 1 wherein Z_3 is S or N-R.
- 4. The film of claim 2 wherein Z_3 is S or N-R.
- 5. The film of claim 2 wherein Z_3 is S.

- 6. The film of claim 2 wherein Z_3 is N-R.
- 7. The film of claim 1 wherein X_2 is $C-R_2$ wherein R_2 is H or a methyl group.
 - 8. The film of claim 1 wherein X_4 and Z_5 join to form a ring.
 - 9. The film of claim 1 wherein the ring is a phenyl ring.
 - 10. The film of claim 1 wherein the ring is a cyclohexenyl ring.
 - 11. The film of claim 1 wherein X_4 and Z_5 are both C-R groups.
- 12. The film of claim 11 wherein both R_4 and R_5 are H, alkyl, alkoxy, or aryl groups.
- 13. The film of claim 1 wherein the compound of formula (I) is a bis compound joined at the 1 position.
- 14. The film of claim 1 wherein Y is an anion selected from the group consisting of BF₄, PF₆, CF₃CO₂, Br, Cl, COO, SO₃, and CH₃SO₃.
- 15. The film of claim 1 wherein the azolium salt is present in an amount of at least 0.1 wt% of the layer.
- 16. The film of claim 1 wherein the azolium salt is present in an amount of at least 0.1-10 wt% of the layer.
- 17. The film of claim 1 wherein the azolium salt is present in an amount of at least 0.25-5 wt% of the layer.

18. The film of claim 1 wherein the azolium salt is a benzazolium represented by formula (II):

$$Z_3$$
 R_2
 R_1
 R_2
 R_1

wherein

the subscripts represent the ring positions;

Z₃ is N, N-R, C-(R)(R), O, S, SO₂, SO, C=O, C=S, or C=NR;

each R group is independently hydrogen or a substituent;

Y is a charge balancing anion, which may be a separate moiety or part of the azolium; and

each Q independently represents a substituent and n is an integer from 0 to 4.

- 19. The film of claim 18 wherein, Z is N-R, O, or S where R is H or a substituent.
- 20. The film of claim 18 wherein the azolium salt is present in an amount of at least 0.1 wt% of the layer.
- 21. The film of claim 18 wherein the azolium salt is present in an amount of at least 0.1-10 wt% of the layer.
- 22. The film of claim 18 wherein the azolium salt is present in an amount of at least 0.25-5 wt% of the layer.
- 23. A process for imparting an increased tilt angle to a polymeric liquid crystal layer upon curing comprising including in that layer an azolium salt compound according to claim 1 prior to curing.

24. A process for imparting an increased tilt angle to a polymeric liquid crystal layer upon curing comprising including in that layer an azolium salt compound according to claim 18 prior to curing.